


1. 产品简图(Product sketch)	产品描述(descri
	型号(type):R型铆 材料(material):P 颜色:黑色/白色 Color:black/whit 单位(unit): MM 防火等级(Firepro level): (UL) 94-V2

2.产品参数(Product Parameter)

型号	产品编号	配合孔径	ØA	B	C	D	E	F	插拔力
R2024	103020380011	2.1	4.2	1.2	2.4	2	3.8	0.6-1.5	3kg
R2032	103020380021	2.1	4.2	1.2	3.2	2	3.8	1.3-2.0	3kg
R2040	103020380031	2.1	4.2	1.2	4	2	5.5	2.1-2.8	3kg
R2048	103020380041	2.1	4.2	1.2	4.8	2	5.5	2.9-3.6	3kg
R2056	103020380051	2.1	4.2	1.2	5.6	2	7.2	3.7-4.4	3kg
R2064	103020380061	2.1	4.2	1.2	6.4	2	7.2	4.5-5.2	3kg
R2632	103020380071	2.7	5	1.4	3.2	2.6	4.6	1.0-2.0	5kg
R2642	103020380081	2.7	5	1.4	4.2	2.6	4.6	2.1-3.0	5kg
R2648	103020380091	2.7	5	1.4	4.8	2.6	6.2	2.7-3.6	5kg
R2655	103020380101	2.7	5	1.4	5.5	2.6	6.2	3.4-4.3	5kg
R2664	103020380111	2.7	5	1.4	6.4	2.6	7.8	4.3-5.2	5kg
R2672	103020380121	2.7	5	1.4	7.2	2.6	7.8	5.1-6.0	5kg
R3035	103020380131	3.1	6.4	1.6	3.5	3	5.1	1.0-2.0	8kg
R3045	103020380141	3.1	6.4	1.6	4.5	3	6.1	2.0-3.0	8kg
R3055	103020380151	3.1	6.4	1.6	5.5	3	6.1	3.0-4.0	8kg
R3065	103020380161	3.1	6.4	1.6	6.5	3	7.1	4.0-5.0	8kg
R3075	103020380171	3.1	6.4	1.6	7.5	3	9	5.0-6.0	8kg

R3080	103020380181	3.1	6.4	1.6	8	3	9	5.5-6.5	8kg
R3090	103020380191	3.1	6.4	1.6	9	3	11	6.5-7.5	8kg
R3100	103020380201	3.1	6.4	1.6	10	3	11	7.5-8.5	8kg
R3230	103020380212	3.1	6.4	1.6	23	3	24	20.5-21.5	8kg
R3535	103020380221	3.6	6.4	1.6	3.5	3.5	5.1	1.2-2.1	12kg
R3545	103020380231	3.6	6.4	1.6	4.5	3.5	6.1	2.2-3.1	12kg
R3550	103020380241	3.6	6.4	1.6	5	3.5	6.1	2.7-3.6	12kg
R3555	103020380251	3.6	6.4	1.6	5.5	3.5	7.1	3.2-4.1	12kg
R3560	103020380261	3.6	6.4	1.6	6	3.5	7.1	3.7-4.6	12kg
R3570	103020380271	3.6	6.4	1.6	7	3.5	9	4.7-5.6	12kg
R3580	103020380281	3.6	8	1.6	8	3.5	9	5.7-6.6	12kg
R4045	103020380461	4.1	8	1.8	4.5	4	5.6	1.5-2.5	20kg
R4050	103020380291	4.1	8	1.8	5	4	7	2.5-3.5	20kg
R4060	103020380301	4.1	8	1.8	6	4	7	3.5-4.5	20kg
R4070	103020380311	4.1	8	1.8	7	4	9	4.5-5.5	20kg
R4080	103020380321	4.1	8	1.8	8	4	9	5.5-6.5	20kg
R4085	103020380471	4.1	8	1.8	8.5	4	9.6	6.0-7.0	20kg
R4090	103020380331	4.1	8	1.8	9	4	11	6.5-7.5	20kg
R4100	103020380341	4.1	8	1.8	10	4	11	7.5-8.5	20kg
R4120	103020380351	4.1	8	1.8	12	4	14	9.1-10.5	20kg
R5045	103020380361	5.1	9	2.2	4.5	4	6.5	1.5-2.5	25kg
R5055	103020380371	5.1	9	2.2	5.5	5	6.5	2.5-3.5	25kg
R5065	103020380381	5.1	9	2.2	6.5	5	8.5	3.5-4.5	25kg
R5075	103020380391	5.1	9	2.2	7.5	5	8.5	4.5-5.5	25kg
R5085	103020380401	5.1	9	2.2	8.5	5	10.5	5.5-6.5	25kg
R5095	103020380411	5.1	9	2.2	9.5	5	10.5	6.5-7.5	25kg
R5105	103020380421	5.1	9	2.2	10.5	5	12	7.5-8.5	25kg
R6060	103020380431	6.1	12	3	6	6	9	2.5-4.0	30kg
R6080	103020380441	6.1	12	3	8	6	10	4.0-5.5	30kg

3.产品用途(Application)

目前广泛应用于汽车面壳、面板，通信天线、LED灯具，展示架，PCB板及之固定，或者散热器风扇之固定，取代螺丝，不可完成装配.特点是容易固定，提高生产效率。该产品具有重量轻、体积小、美观、环保、不生锈、安装方便、快捷等优点。色，白色，自然色，还可按照客户所需颜色调色，规格齐全。

Nylon rivet is widely applied to fasten and fix auto panels, communication antenna, LED lamps, display racks, PCboard, and fans, etc. It replaces screws in function and easily to mount without tools.The rivet is easily to be fixed and greatly improve productivity; it is light in weight, small in size, artistic,environmental protected, stainless, conveniently and fast to mount. It is available in spec. with diverse color (asblack, white, and natural, etc.) in supply; moreover, the color can be customized.

4.产品性能(Function)

该系列产品为分体式尼龙铆钉，一般由子钉和母钉两个部件组成。作用是对两个分离的物件起到铆合作用。主要利用尼龙材料弹性和记忆性能，从而实现其连接和紧固功能。安装时只要挤压两件套铆钉的子钉，母钉钉脚就会伸展并锁定产品；无需使用工具，易手工安装，省时、快捷。

This product is made up with male rivet and female rivet; it mainly functions to riveting two separated parts. The Rivet realizes the function of connection and fastening by utilizing the flexibility and shape memory of nylon material. You need just press the male rivet to mount, and then the female rivet will stretch to fix and lock the parts; it is easily, conveniently and fast to mount without tools.

ption)

釘系列
A6
e
ofing

e
ofing

ofing

附图号

NO1

NO1

NO1

NO1

NO1

NO1

NO1

NO1

NO1

NO1

NO1

NO1

NO1

NO1

NO1

NO1

NO1

NO1
NO1
NO1
NO1
NO2
NO2
NO2
NO2
NO2
NO2
NO2
NO2
NO2
NO2
NO2
NO2
NO2
NO2
NO2
NO2
NO2
NO2
NO2
NO2
NO2
NO2
NO2
NO2
NO2
NO2
NO2

所需工具即
，颜色有黑

radiators
rove
s complete

材料本身的
专用安装工

alizes the
male rivet
it tools.